

## **PETERSBURG BOROUGH INVITATION TO BID**

The Petersburg Borough invites bids for 1,500 tons of Leveling Course crushed rock, with an additional 500 tons of Leveling course and 500 tons of 3" minus included as optional bid items. The optional items will only be awarded as funding allows. All rock to be delivered and stockpiled at the Petersburg Public Works Yard by June 3, 2016. Bid Specifications and Documents are available at the Petersburg Public Works Office, located at 303 South Second Street, Petersburg, Alaska (Telephone 907-772-4430) or by mail at P.O. Box 329, Petersburg, Alaska 99833.

Bids will be opened publicly on Friday, April 22, 2016, at the Public Works office at 1:00 PM local time. Questions may be directed to Karl Hagerman, Public Works Director (Telephone 907-772-4430 ext. 35)

Publish  
April 7 & 14, 2016

Invitation to Bid  
For  
Supply and Delivery of Crushed Rock:  
Leveling Course

Petersburg Borough  
Public Works Department  
P.O. Box 329  
Petersburg, Alaska 99833

(5% Local Bidders Preference)

Petersburg Borough stockpile specifications are as follows:

- a) The Borough is purchasing crushed rock by tonnage.
- b) The materials must meet Petersburg Borough specifications for “Leveling Course” as published in the CPSS, Division 20, Article 6.2. Gradation specifications are attached to this document. The optional 3” minus material must meet Petersburg Borough specifications for “Type II-A” as published in the CPSS, Division 20, Article 21.2. The gradation for Type II-A is attached to this document.
- c) At least one recent (within 2 weeks) gradation proving that the material meets the grading specification must be performed and presented to the Borough prior to delivery. The Borough reserves the right to visit the bidder’s stockpile location and/or require additional gradation testing at any point during the delivery of the material.
- d) The Borough stockpile location will be at 303 South Second Street.
- e) Time and days allowed to stockpile will be limited to Monday through Friday 8 AM to 5 PM.
- f) Petersburg Borough measurement will be by contractor supplied scale tickets from a State of Alaska certified scale. Total delivered weight shall be  $\pm 5$  tons from the awarded amount.
- g) Petersburg Borough method of payment to the contractor shall be paid per ton delivered, upon receipt of all materials.
- h) Payment requests shall include original scale tickets for all loads delivered to the public works site.
- i) Scale tickets shall indicate the date of load, the tare weight, the total load weight in tons and the driver or truck ID.
- j) The material must be delivered and stockpiled by June 3, 2016 unless an alternate delivery date is agreed to in writing and signed by the contractor and the Borough.

Bidders Response Form  
To Provide the Petersburg Borough with  
Crushed Rock

**Leveling Course**

<hr/>	X 1,500 tons =	<hr/>
Per Ton Cost delivered to the Public Works Yard		Total cost of Crushed Rock (Leveling Course)

**Optional Item: Additional Leveling Course**

<hr/>	X 500 tons =	<hr/>
Per Ton Cost delivered to the Public Works Yard		Total cost of additional material (Leveling Course)

**Optional Item: Type II-A (3" minus)**

<hr/>	X 500 tons =	<hr/>
Per Ton Cost delivered to the Public Works Yard		Total cost of additional material (Type II-A)

<hr/>	<hr/>	
Estimated Date of Delivery	Representative's signature	
<hr/>	<hr/>	
Company Name	Telephone Number	
<hr/>	<hr/>	
Address	Fax Number	
<hr/>		
City	State	Zip

Bids must include copies of current Alaska Business License and truck scale certification.

To be considered, bids must be received by 1:00 PM, Friday, April 22, 2016. Please submit this form along with the attachments to: Petersburg Borough, Attn: Karen Malcom, 303 S. Second Street, P.O. Box 329, Petersburg, Alaska 99833.

Please mark the sealed envelope with **“Crushed Rock Bid”**.


# GRADING LIMITS

U.S. STANDARD SIEVE

CUMULATIVE % PASSING  
BY WEIGHT

1"	100
3/4"	70-100
3/8"	50-80
#4	35-65
#8	20-50
#50	8-28
#200	*2-6

\*IN ADDITION TO THE GRADING LIMITS LISTED ABOVE, THE FRACTION OF MATERIAL PASSING THE #200 SIEVE SHALL NOT BE GREATER THAN 75% OF THAT FRACTION PASSING THE #50 SIEVE.




# GRADING LIMITS

U.S. STANDARD SIEVE

CUMULATIVE %PASSING  
BY WEIGHT

3/4"	100
#4	50-100
#10	25-60
#40	15-50
#200	4-30
	*2-6

IN ADDITION TO THE GRADING LIMITS LISTED ABOVE, THE FRACTION OF MATERIAL PASSING THE #200 SIEVE SHALL NOT BE GREATER THAN 20% OF THAT FRACTION PASSING THE #40 SIEVE.



SCALE  
NTS  
PROV(O)  
Ev-Sfo  
4/12

## TYPE II-A CLASSIFIED FILL AND BACKFILL

SECTION  
20.21  
DETAIL #  
20-15